

## PCR ANALYSIS – SAMPLE INFORMATION

### SPECIMEN INFORMATION

Collection of samples should be performed aseptically to minimise the possibility of contamination. If collecting multiple samples, take care that instruments are replaced in between samples, or alternatively, instruments can be left in a 10% solution of bleach for 10 minutes.

### TISSUE

It is recommended that samples of whole frozen tissue be sent.

### CELL LINES

It is preferable that  $1 \times 10^6$  cells are supplied in duplicate, as a frozen pellet.

### FAECAL PELLETS

Obtain 4 or 5 pellets with a pair of forceps. Pellets should be frozen prior to shipment.

### TRANSPORTATION

All samples to be put in sterile individually labelled containers into an insulated esky containing dry ice for shipment to the address below.

**SHIP TO** Institute of Medical and Veterinary Science  
MVMS Section, Veterinary Services Division  
101 Blacks Rd Gilles Plains SA 5086

**CONTACT** For further information contact:-  
Ph: 08 8261 1033  
Fax: 08 8261 2280  
e-mail [mvms@imvs.sa.gov.au](mailto:mvms@imvs.sa.gov.au)



IMVS Veterinary Services Division

**phone** +61 8 8261 1033 **fax** +61 8 8261 2280 **e-mail** [vet.services@imvs.sa.gov.au](mailto:vet.services@imvs.sa.gov.au)



\*The IMVS makes no express or implied warranties in respect of the Supply except where this would contravene any statute or where the exclusion of an express or implied term, condition or warranty would be void (collectively, "Non-excludable Warranty"). However, where exclusion of express or implied warranties does not constitute a Non-excludable Warranty, IMVS excludes all warranties, terms and conditions and all liability to the Client for consequential or indirect loss or damages. In any event, in respect of both Non-excludable Warranties and excludable warranties, the IMVS' liability arising from anything under this Supply is limited, at the IMVS' election, to an amount equal to the payment received from the Client for the Supply or the repeat provision of the Supply.\*